

**VERSUSGAS NGV/LPG
Autogas Parts & Accessories
CATALOGUE**

LPG MAXI KITS 24.09.2013

 **ERSUS**[®]
AUTO GAS equipment



LPG MAXI KITS – CONTENT:

A. 4-cyl. MAXI KITS

Catalogue Name: KIT VERSUS: MV4L/VRL/FH02-4/F1/PW/X14.....	3
Catalogue Name: KIT VERSUS: MV4L.PRO/VRL/FH02-4/F1/PW/X14	3
Catalogue Name: KIT VERSUS: MV4L/VRL/2XFH02-2/F2/PW/X22J.....	4
Catalogue Name: KIT VERSUS: MV4L.PRO/VRL/2XFH02-2/F2/PW/X22J.....	4
Catalogue Name: KIT VERSUS: MV4L.1/VRL/4XFH02-1/F4.12/PW/X41K	5
Catalogue Name: KIT VERSUS: MV4L.PRO.1/VRL/4XFH02-1/F4.12/PW/X41K	5
Catalogue Name: KIT VERSUS: MV4L/VRL-S/FH02-4/F1/PW/X148	6
Catalogue Name: KIT VERSUS: MV4L.PRO/VRL-S/FH02-4/F1/PW/X148.....	6
Catalogue Name: KIT VERSUS: MV4L.1/VRL-S/4XFH02-1/F4.12/PW/X418L	7
Catalogue Name: KIT VERSUS: MV4L.PRO.1/VRL-S/4XFH02-1/F4.12/PW/X418L	7
Catalogue Name: KIT VERSUS: V4LO/VRL/FH02-4/F1/PW/X14	8
Catalogue Name: KIT VERSUS: V4LO/VRL/2XFH02-2/F2/PW/X22M.....	9
Catalogue Name: KIT VERSUS: V4LO.3/VRL/4XFH02-1/F4.12/PW/X41N	10
Catalogue Name: KIT VERSUS: V4LO/VRL-S/FH02-4/F1/PW/X148	11
Catalogue Name: KIT VERSUS: V4LO.3/VRL-S/4XFH02-1/F4.12/PW/X418O	12

B. 5-cyl. MAXI KITS

Catalogue Name: KIT VERSUS: V6LO/VRL/FH02-5/F2/PW/X23Q	13
Catalogue Name: KIT VERSUS: V6LO/VRL-S/FH02-5/F1.1/PW/X23I	14

C. 6-cyl. MAXI KITS

Catalogue Name: KIT VERSUS: V6LO/VRL/2XFH02-3/F2/PW/X23H	15
Catalogue Name: KIT VERSUS: V6LO/VRL-S/2XFH02-3/F1.1/PW/X23J	16
Catalogue Name: KIT VERSUS: V6LO.3/VRL-S/6XFH02-1/F2.3/PW/X61	17

D. 8-cyl. MAXI KITS

Catalogue Name: KIT VERSUS: V8LO/VRL-S/2XFH02-4/F1.1/PW/X24A.....	18
Catalogue Name: KIT VERSUS: V8LO/VRL-S/4XFH02-2/F1.1/PW/X42U.....	19
Catalogue Name: KIT VERSUS: V8LO.3/VRL-S/8XFH02-1/2xF4/PW/X81W	20
Catalogue Name: KIT VERSUS: V8LO.6/2VRL/2XFH02-4/2XF1/PW/X24X	21
Catalogue Name: KIT VERSUS: V8LO.7/2VRL/4XFH02-2/2XF1/PW/X42F	22
Catalogue Name: KIT VERSUS: V8LO.6/2VRL/8XFH02-1/2XF4/PW/X81G.....	23

MAXI KIT BOX dimensions



A. 4-cyl. MAXI KITSCatalogue Code: **2L/1/1/1/1/1**Catalogue Name: **KIT VERSUS: MV4L/VRL/FH02-4/F1/PW/X14**Catalogue Code: **2LP/1/1/1/1/1**Catalogue Name: **KIT VERSUS: MV4L.PRO/VRL/FH02-4/F1/PW/X14**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU MV4 4-cyl	EL.MV4	1 pcs	
1b	Harness P210 LPG 4-cyl	EL.P210.L	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.ST	1 pcs	
1i	Horn(Buzzer)	EL.BZ	1 pcs	
1j	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1k	Electrical connector „Ring”	EL.AK.ZL.O	2 pcs	
1l	Electrical connector box	EL.AK.OB.EL	2 pcs	
1m	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	1 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	1 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	1 pcs	
3a	Injector FH02-4cyl body	LW.4.BD	1 pcs	
3b	Inlet manifold nozzle „IM”	LW.DKL	5 pcs	
3c	Anti-vibration dumper FH02	LW.DW	2 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-1 12mm	F1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø6 mm	MC.MD6	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	0,8 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	12 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	




Description:

- KIT dedicated to 4-cyl engines up to 200 HP power. ECU MV4 is a part of this KIT.
- KIT is also available as PRO configuration with the controller MV4Pro that has self calibration system (SCS).
- Since there is Injector FH02-4cyl body inside it is important to recognize whether total distance of GAS hose ø5 mm between inlet manifold nozzles and calibration nozzles will not exceed 20 cm length.

Shipment details:

- Weight of one KIT: 5,60 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **2L/1/3/2/1/3J**Catalogue Name: **KIT VERSUS: MV4L/VRL/2XFH02-2/F2/PW/X22J**Catalogue Code: **2LP/1/3/2/1/3J**Catalogue Name: **KIT VERSUS: MV4L.PRO/VRL/2XFH02-2/F2/PW/X22J**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU MV4 4-cyl	EL.MV4	1 pcs	            
1b	Harness P210 LPG 4-cyl	EL.P210.L	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.ST	1 pcs	
1i	Horn(Buzzer)	EL.BZ	1 pcs	
1j	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	Electrical connector box	EL.AK.OB.EL	2 pcs	
1m	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	1 pcs	  
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	1 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	1 pcs	
3a	Injector FH02-2cyl body	LW.2.BD	2 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	5 pcs	 
3c	Anti-vibration dumper FH02	LW.DW	4 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-2 12mm	F2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	         
6a	Copper pipe ø6 mm	MC.MD6	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	1,5 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	14 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:

- KIT dedicated to 4-cyl engines up to 200 HP power. KIT dedicated to "boxer " type engines mostly. ECU MV4 is a part of this KIT.
- KIT is also available as PRO configuration with the controller MV4Pro that has self calibration system (SCS).
- 2 pcs of Injector FH02-2cyl are already inside. Those injectors can be installed close to the inlet manifold nozzles when finally the distance between inlet manifold nozzles and calibration nozzles is going to be short.

Shipment details:

- Weight of one KIT: 5,60 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **2L1/1/2/4/1/2K**Catalogue Name: **KIT VERSUS: MV4L.1/VRL/4XFH02-1/F4.12/PW/X41K**Catalogue Code: **2LP1/1/2/4/1/2K**Catalogue Name: **KIT VERSUS: MV4L.PRO.1/VRL/4XFH02-1/F4.12/PW/X41K**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU MV4 4-cyl	EL.MV4	1 pcs	
1b	Harness P210 LPG 4-cyl	EL.P210.L	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.ST	1 pcs	
1i	Horn(Buzzer)	EL.BZ	1 pcs	
1j	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	Electrical connector box	EL.AK.OB.EL	2 pcs	
1m	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	1 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	1 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	1 pcs	
3a	Injector FH02-1cyl body	LW.1.BD	4 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	4 pcs	
3c	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-4 12/7mm	F4.12.2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø6 mm	MC.MD6	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	0,8 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	GAS hose ø6 mm	MC.WG6	1,6 m	
6f	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	12 pcs	
6i	Metal clamps 8-12	MC.OP8-12	8 pcs	
6j	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6k	Vacuum clamps	MC.OP5V	6 pcs	
6l	Copper pipe support	MC.M	10 pcs	
6m	Inlet manifold nozzle „IM“	LW.DKL	1 pcs	

Description:

- KIT dedicated to 4-cyl engines up to 200 HP power. ECU MV4 is a part of this KIT.
- KIT is also available as PRO configuration with the controller MV4Pro that has self calibration system (SCS).
- Separate Injector FH02-1cyl are already inside. Those injectors can be installed very close to the inlet manifold nozzles when final length of GAS hose ø5 mm installed between inlet manifold nozzles and calibration nozzles can be short enough.

Shipment details:

- Weight of one KIT: 5,80 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **2L/2/1/1/1/18**Catalogue Name: **KIT VERSUS: MV4L/VRL-S/FH02-4/F1/PW/X148**Catalogue Code: **2LP/2/1/1/1/18**Catalogue Name: **KIT VERSUS: MV4L.PRO/VRL-S/FH02-4/F1/PW/X148**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU MV4 4-cyl	EL.MV4	1 pcs	
1b	Harness P210 LPG 4-cyl	EL.P210.L	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.ST	1 pcs	
1i	Horn(Buzzer)	EL.BZ	1 pcs	
1j	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1k	Electrical connector „Ring”	EL.AK.ZL.O	2 pcs	
1l	Electrical connector box	EL.AK.OB.EL	2 pcs	
1m	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-4cyl body	LW.4.BD	1 pcs	
3b	Inlet manifold nozzle „IM”	LW.DKL	5 pcs	
3c	Anti-vibration dumper FH02	LW.DW	2 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-1 12mm	F1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	0,8 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	12 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:

- The most popular KIT dedicated to 4-cyl turbo charged engines over to 200 HP power. ECU MV4 is a part of this KIT.
- KIT is also available as PRO configuration with the controller MV4Pro that has self calibration system (SCS).
- Since there is Injector FH02-4cyl body inside it is important to recognize whether total distance of GAS hose ø5 mm between inlet manifold nozzles and calibration nozzles will not exceed 20 cm length.
- Important:** only high flow Multivalve (called often „Extra” 8 mm outlet version) shall be used together with this KIT.

Shipment details:

- Weight of one KIT: 6,05 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **2L1/2/2/4/1/28L**Catalogue Name: **KIT VERSUS: MV4L.1/VRL-S/4XFH02-1/F4.12/PW/X418L**Catalogue Code: **2LP1/2/2/4/1/28L**Catalogue Name: **KIT VERSUS: MV4L.PRO.1/VRL-S/4XFH02-1/F4.12/PW/X418L**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU MV4 4-cyl	EL.MV4	1 pcs	
1b	Harness P210 LPG 4-cyl	EL.P210.L	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.ST	1 pcs	
1i	Horn(Buzzer)	EL.BZ	1 pcs	
1j	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	Electrical connector box	EL.AK.OB.EL	2 pcs	
1m	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-1cyl body	LW.1.BD	4 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	4 pcs	
3c	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-4 12/7mm	F4.12.2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	0,8 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	GAS hose ø6 mm	MC.WG6	1,6 m	
6f	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	12 pcs	
6i	Metal clamps 8-12	MC.OP8-12	8 pcs	
6j	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6k	Vacuum clamps	MC.OP5V	6 pcs	
6l	Copper pipe support	MC.M	10 pcs	
6m	Inlet manifold nozzle „IM“	LW.DKL	1 pcs	

Description:






- the most popular KIT dedicated to 4-cyl turbo charged engines over to 200 HP power. ECU MV4 is a part of this KIT.
- Separate Injector FH02-1cyl are already inside. Those injectors can be installed very close to the inlet manifold nozzles when final length of GAS hose ø5 mm installed between inlet manifold nozzles and calibration nozzles can be short enough.
- KIT is also available as PRO configuration with the controller MV4Pro that has self calibration system (SCS).

Shipment details:

- Weight of one KIT: 6,25 kg. Size of the box (as in the picture): 38,5x30x15 cm.
- Number of KITS in groupage carton/minimal order: 4 pcs.
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS.

Catalogue Code: **1L**○/1/1/1/1/1

Catalogue Name: **KIT VERSUS: V4**○/VRL/FH02-4/F1/PW/X14

No.	Catalogue Name	Catalog Code	Qty	
1a 1b 1c 1d 1e 1f 1g 1h 1i 1j 1k 1l	ECU V4 4-cyl OBD Harness P4 LPG 4-cyl OBD MAP-SENSOR XFP1 Reducer's Temp. Sensor Gas Temp. Sensor STD Fuse Case Fuse 10A Change-over Switch Female electrical connector Electrical connector „Ring“ Electrical connector box T-Fitting for Vacuum	EL.V4.OBD EL.P4.LO EL.MAP.M EL.CTR EL.CTG.B EL.B.OBB EL.B.10A EL.SW.OBD EL.AK.ZL.Z EL.AK.ZL.O EL.AK.OB.EL EL.AK.TRVAC	1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 2 pcs 2 pcs 2 pcs 1 pcs	
2a 2b 2c	Reducer VR-L Standard Bare SET Reducer's VR-L Standard Inlet SET VR-L STANDARD reducer's fitting set	RD.VL.BDSET RD.VL.INSET RD.VL.MC.SET	1 pcs 1 pcs 1 pcs	
3a 3b 3c 3d	Injector FH02-4cyl body Inlet manifold nozzle „IM“ Anti-vibration dumper FH02 FH02 calibration nozzle 1,5 mm	LW.4.BD LW.DKL LW.DW LW.DK15	1 pcs 5 pcs 2 pcs 4 pcs	
4a	Filter 1-1 12mm	F1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a 6b 6c 6d 6e 6f 6g 6h 6i 6j	Copper pipe ø6 mm Water hose ø16 mm GAS hose ø12 mm GAS hose ø5 mm Vacuum hose ø5 mm Water T-fitting 16/16/16 Metal clamps 12-22 Pressure hose clamps AML12 Vacuum clamps Copper pipe support	MC.MD6 MC.WW16 MC.WG12 MC.WG5 MC.WV5 MC.T-WOD.M16 MC.OP12-22 MC.OPAML12 MC.OP5V MC.M	6 m 1,6 m 0,8 m 1,8 m 1,5 m 2 pcs 12 pcs 10 pcs 6 pcs 10 pcs	

Description:

- The most popular KIT dedicated to 4-cyl engines up to 200 HP power.
- Since there is Injector FH02-4cyl body inside it is important to recognize whether total distance of GAS hose ø5 mm between inlet manifold nozzles and calibration nozzles will not exceed 20 cm length. Also it is important to recognize whether there is enough space to install injector FH02-4.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 6,05 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **1L0/1/3/2/1/3M**

Catalogue Name: **KIT VERSUS: V4L0/VRL/2XFH02-2/F2/PW/X22M**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V4 4-cyl OBD	EL.V4.OBD	1 pcs	
1b	Harness P4 LPG 4-cyl OBD	EL.P4.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1k	Electrical connector box	EL.AK.OB.EL	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	1 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	1 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	1 pcs	
3a	Injector FH02-2cyl body	LW.2.BD	2 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	5 pcs	
3c	Anti-vibration dumper FH02	LW.DW	2 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-2 12mm	F2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø6 mm	MC.MD6	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	1,5 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	14 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:

- KIT dedicated to 4-cyl engines up to 200 HP power.
- KIT dedicated to "boxer" type engines mostly.
- 2 pcs of Injector FH02-2cyl are already inside. Those injectors can be installed close to the inlet manifold nozzles when finally the distance between inlet manifold nozzles and calibration nozzles is going to be short.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 6,05 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: 1L03/1/2/4/1/2N

Catalogue Name: KIT VERSUS: V4L0.3/VRL/4XFH02-1/F4.12/PW/X41N

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V4 4-cyl OBD	EL.V4.OBD	1 pcs	
1b	Harness P4 LPG 4-cyl OBD	EL.P4.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1k	Electrical connector box	EL.AK.OB.EL	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	1 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	1 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	1 pcs	
3a	Injector FH02-1cyl body	LW.1.BD	4 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	4 pcs	
3c	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-4 12/7mm	F4.12.2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø6 mm	MC.MD6	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	0,8 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	GAS hose ø6 mm	MC.WG6	1,6 m	
6f	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	12 pcs	
6i	Metal clamps 8-12	MC.OP8-12	8 pcs	
6j	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6k	Vacuum clamps	MC.OP5V	6 pcs	
6l	Copper pipe support	MC.M	10 pcs	
6m	Inlet manifold nozzle „IM“	LW.DKL	1 pcs	

Description:




- KIT dedicated to 4-cyl engines up to 200 HP power
- Separate Injector FH02-1cyl are already inside. Those injectors can be installed very close to the inlet manifold nozzles when final length of GAS hose ø5 mm installed between inlet manifold nozzles and calibration nozzles can be short enough.
- KIT dedicated to cars in which Injector FH02-4cyl cannot be installed correctly or there is no space to install Injector FH02-4.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 6,15 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **1L0/2/1/1/1/18**

Catalogue Name: **KIT VERSUS: V4L0/VRL-S/FH02-4/F1/PW/X148**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V4 4-cyl OBD	EL.V4.OBD	1 pcs	
1b	Harness P4 LPG 4-cyl OBD	EL.P4.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector „Ring”	EL.AK.ZL.O	2 pcs	
1k	Electrical connector box	EL.AK.OB.EL	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-4cyl body	LW.4.BD	1 pcs	
3b	Inlet manifold nozzle „IM”	LW.DKL	5 pcs	
3c	Anti-vibration dumper FH02	LW.DW	2 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-1 12mm	F1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	0,8 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	12 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:

- The most popular KIT dedicated to 4-cyl engines over to 200 HP power
- Since there is Injector FH02-4cyl inside it is important to recognize whether total distance of GAS hose ø5 mm between inlet manifold nozzles and calibration nozzles will not exceed 20 cm length.
- KIT dedicated to turbo charged 4-cyl engines.
- Important: only high flow Multivalve (called often „Extra” 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 6,50 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **1L03/2/2/4/1/280**

Catalogue Name: **KIT VERSUS: V4L0.3/VRL-S/4XFH02-1/F4.12/PW/X4180**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V4 4-cyl OBD	EL.V4.OBD	1 pcs	
1b	Harness P4 LPG 4-cyl OBD	EL.P4.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1k	Electrical connector box	EL.AK.OB.EL	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-1cyl body	LW.1.BD	4 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	4 pcs	
3c	FH02 calibration nozzle 1,5 mm	LW.DK15	4 pcs	
4a	Filter 1-4 12/7mm	F4.12.2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	1,6 m	
6c	GAS hose ø12 mm	MC.WG12	0,8 m	
6d	GAS hose ø5 mm	MC.WG5	1,8 m	
6e	GAS hose ø6 mm	MC.WG6	1,6 m	
6f	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	12 pcs	
6i	Metal clamps 8-12	MC.OP8-12	8 pcs	
6j	Pressure hose clamps AML12	MC.OPAML12	10 pcs	
6k	Vacuum clamps	MC.OP5V	6 pcs	
6l	Copper pipe support	MC.M	10 pcs	
6m	Inlet manifold nozzle „IM“	LW.DKL	1 pcs	

Description:

- the most popular KIT dedicated to 4-cyl engines over to 200 HP power
- Separate Injector FH02-1cyl are already inside. Those injectors can be installed very close to the inlet manifold nozzles when final length of GAS hose ø5 mm installed between inlet manifold nozzles and calibration nozzles can be short enough.
- KIT dedicated to cars in which Injector FH02-4cyl cannot be installed correctly or there is no space to install Injector FH02-4.
- KIT dedicated to turbo charged 4-cyl engines.
- **Important:** only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.



Shipment details:

- Weight of one KIT: 6,70 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

B. 5-cyl. MAXI KITS

Catalogue Code: **6LO/1/12/2/1/4Q**

Catalogue Name: **KIT VERSUS: V6LO/VRL/FH02-5/F2/PW/X23Q**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V6 6-cyl OBD	EL.V6.OBD	1 pcs	
1b	Harness P6 LPG 6-cyl OBD	EL.P6.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	1 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	1 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	1 pcs	
3a	Injector FH02-3cyl body	LW.3.BD	1 pcs	
3b	Injector FH02-2cyl body	LW.2.BD	1 pcs	
3c	Inlet manifold nozzle „IM“	LW.DKL	6 pcs	
3d	Anti-vibration dumper FH02	LW.DW	3 pcs	
3e	FH02 calibration nozzle 1,5 mm	LW.DK15	5 pcs	
4a	Filter 1-2 12mm	F2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø6 mm	MC.MD6	6 m	
6b	Water hose ø16 mm	MC.WW16	2 m	
6c	GAS hose ø12 mm	MC.WG12	1,5 m	
6d	GAS hose ø5 mm	MC.WG5	2,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	14 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	12 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:





- the most popular KIT dedicated to 5-cyl engines up to 200 HP power
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 7,05 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **6LO/2/12/11/1/4I**

Catalogue Name: **KIT VERSUS: V6LO/VRL-S/FH02-5/F1.1/PW/X23I**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V6 6-cyl OBD	EL.V6.OBD	1 pcs	
1b	Harness P6 LPG 6-cyl OBD	EL.P6.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-3cyl body	LW.3.BD	1 pcs	
3b	Injector FH02-2cyl body	LW.2.BD	1 pcs	
3c	Inlet manifold nozzle „IM“	LW.DKL	6 pcs	
3d	Anti-vibration dumper FH02	LW.DW	3 pcs	
3e	FH02 calibration nozzle 1,5 mm	LW.DK15	5 pcs	
4a	Filter 1-1x2 + Gas Y-Fitting	F1.1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	2 m	
6c	GAS hose ø12 mm	MC.WG12	1,5 m	
6d	GAS hose ø5 mm	MC.WG5	2,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	18 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	12 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:

- the most popular KIT dedicated to 5-cyl engines over 200 HP power
- Important: only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.



Shipment details:

- Weight of one KIT: 7,55 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

C. 6-cyl. MAXI KITS

Catalogue Code: **6LO/1/4/2/1/4H**

Catalogue Name: **KIT VERSUS: V6LO/VRL/2XFH02-3/F2/PW/X23H**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V6 6-cyl OBD	EL.V6.OBD	1 pcs	
1b	Harness P6 LPG 6-cyl OBD	EL.P6.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	1 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	1 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	1 pcs	
3a	Injector FH02-3cyl body	LW.3.BD	2 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	7 pcs	
3c	Anti-vibration dumper FH02	LW.DW	4 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	6 pcs	
4a	Filter 1-2 12mm	F2	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø6 mm	MC.MD6	6 m	
6b	Water hose ø16 mm	MC.WW16	2 m	
6c	GAS hose ø12 mm	MC.WG12	1,5 m	
6d	GAS hose ø5 mm	MC.WG5	2,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	14 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	14 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:





- the most popular KIT dedicated to 6-cyl engines up to 200 HP power
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 7,05 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **6LO/2/4/11/1/4J**

Catalogue Name: **KIT VERSUS: V6LO/VRL-S/2XFH02-3/F1.1/PW/X23J**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V6 6-cyl OBD	EL.V6.OBD	1 pcs	
1b	Harness P6 LPG 6-cyl OBD	EL.P6.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-3cyl body	LW.3.BD	2 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	7 pcs	
3c	Anti-vibration dumper FH02	LW.DW	4 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	6 pcs	
4a	Filter 1-1x2 + Gas Y-Fitting	F1.1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	2 m	
6c	GAS hose ø12 mm	MC.WG12	1,5 m	
6d	GAS hose ø5 mm	MC.WG5	2,8 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	18 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	14 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:

- the most popular KIT dedicated to 6-cyl engines over 200 HP power
- Important: only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 7,55 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **6L03/2/8/23/1/4C**

Catalogue Name: **KIT VERSUS: V6L0.3/VRL-S/6XFH02-1/F2.3/PW/X61**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V6 6-cyl OBD	EL.V6.OBD	1 pcs	
1b	Harness P6 LPG 6-cyl OBD	EL.P6.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-1cyl body	LW.1.BD	6 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	6 pcs	
3c	FH02 calibration nozzle 1,5 mm	LW.DK15	6 pcs	
4a	Filter 1-3 12/7mm	F3	2 pcs	
4b	Gas Y-Fitting	F.Y	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	2 m	
6c	GAS hose ø12 mm	MC.WG12	1,5 m	
6d	GAS hose ø5 mm	MC.WG5	2,8 m	
6e	GAS hose ø6 mm	MC.WG6	3 m	
6f	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	16 pcs	
6i	Metal clamps 8-12	MC.OP8-12	12 pcs	
6j	Pressure hose clamps AML12	MC.OPAML12	14 pcs	
6k	Vacuum clamps	MC.OP5V	6 pcs	
6l	Copper pipe support	MC.M	10 pcs	
6m	Inlet manifold nozzle „IM“	LW.DKL	1 pcs	

Description:

- the most popular KIT dedicated to 6-cyl engines up to 200 HP power
- Internal dimension of the pipe supplying the GAS to the reducer shall be at least 6 mm (8mm external dimension copper pipe - "MC.MD8" catalogue code).
- Important: only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.




Shipment details:

- Weight of one KIT: 7,65 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

D. 8-cyl. MAXI KITS

Catalogue Code: **8LO/2/5/11/1/5A**

Catalogue Name: **KIT VERSUS: V8LO/VRL-S/2XFH02-4/F1.1/PW/X24A**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V8 8-cyl OBD	EL.V8.OBD	1 pcs	
1b	Harness P8 LPG 8-cyl OBD	EL.P8.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-4cyl body	LW.4.BD	2 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	10 pcs	
3c	Anti-vibration dumper FH02	LW.DW	4 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	8 pcs	
4a	Filter 1-1x2 + Gas Y-Fitting	F1.1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Water hose ø16 mm	MC.WW16	2 m	
6c	GAS hose ø12 mm	MC.WG12	1,8 m	
6d	GAS hose ø5 mm	MC.WG5	3,2 m	
6e	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	18 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	18 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	10 pcs	

Description:

- the most popular KIT dedicated to 8-cyl engines up to 300 HP power
- Important:** only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 8,40 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 4 pcs
- Total no of KITS in one pallet 120/80/177 cm: 80 KITS

Catalogue Code: **8L**0/2/7/11/1/5U

Catalogue Name: **KIT VERSUS: V8**0/VRL-S/4XFH02-2/F1.1/PW/X42U

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V8 8-cyl OBD	EL.V8.OBD	1 pcs	
1b	Harness P8 LPG 8-cyl OBD	EL.P8.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-2cyl body	LW.2.BD	4 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	10 pcs	
3c	Anti-vibration dumper FH02	LW.DW	4 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	8 pcs	
4a	Filter 1-1x2 + Gas Y-Fitting	F1.1	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	8 m	
6b	Water hose ø16 mm	MC.WW16	4 m	
6c	GAS hose ø12 mm	MC.WG12	3 m	
6d	GAS hose ø5 mm	MC.WG5	6 m	
6e	Vacuum hose ø5 mm	MC.WV5	3 m	
6f	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6g	Metal clamps 12-22	MC.OP12-22	22 pcs	
6h	Pressure hose clamps AML12	MC.OPAML12	18 pcs	
6i	Vacuum clamps	MC.OP5V	6 pcs	
6j	Copper pipe support	MC.M	14 pcs	
6k	Outlet nozzle 12mm	RD.00-37	2 pcs	

Description:



- the most popular KIT dedicated to 8-cyl engines up to 300 HP power
- Important: only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 10,30 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 2 pcs
- Total no of KITS in one pallet 120/80/177 cm: 40 KITS

Catalogue Code: **8L03/2/9/24/1/5W**

Catalogue Name: **KIT VERSUS: V8L0.3/VRL-S/8XFH02-1/2xF4/PW/X81W**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V8 8-cyl OBD	EL.V8.OBD	1 pcs	
1b	Harness P8 LPG 8-cyl OBD	EL.P8.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector box	EL.AK.OB.EL	2 pcs	
1k	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	1 pcs	
2a	Reducer VR-L SUPER Bare	RD.VLS.BD	1 pcs	
2b	VR-L SUPER Inlet connection set 8 mm	RD.WL8MM	1 pcs	
2c	VR-L SUPER filter body 8/8 SET	RD.VLS.FS88	1 pcs	
2d	VR-L SUPER Inlet reduction 6/8 mm set	RD.VLS.FT.INRD	1 pcs	
2e	VR-L SUPER Reducer's fitting set	RD.VLS.MC.SET	1 pcs	
3a	Injector FH02-1cyl body	LW.1.BD	8 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	8 pcs	
3c	FH02 calibration nozzle 1,5 mm	LW.DK15	8 pcs	
4a	Filter 1-4 12/7mm	F4	2 pcs	
4b	Gas Y-Fitting	F.Y	1 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	8 m	
6b	Water hose ø16 mm	MC.WW16	4 m	
6c	GAS hose ø12 mm	MC.WG12	3 m	
6d	GAS hose ø5 mm	MC.WG5	8 m	
6e	GAS hose ø6 mm	MC.WG6	8 m	
6f	Vacuum hose ø5 mm	MC.WV5	3 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	16 pcs	
6i	Metal clamps 8-12	MC.OP8-12	16 pcs	
6j	Pressure hose clamps AML12	MC.OPAML12	18 pcs	
6k	Vacuum clamps	MC.OP5V	6 pcs	
6l	Copper pipe support	MC.M	14 pcs	
6m	Inlet manifold nozzle „IM“	LW.DKL	1 pcs	

Description:

- the most popular KIT dedicated to 8-cyl engines up to 300 HP power
- Important: only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT: 11,00 kg. Size of the box (as in the picture): 38,5x30x15 cm
- Number of KITS in groupage carton/minimal order: 2 pcs
- Total no of KITS in one pallet 120/80/177 cm: 40 KITS

Catalogue Code: **8L06/12/5/21/1/5X**

Catalogue Name: **KIT VERSUS: V8L0.6/2VRL/2XFH02-4/2XF1/PW/X24X**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V8 8-cyl OBD	EL.V8.OBD	1 pcs	
1b	Harness P8 LPG 8-cyl OBD	EL.P8.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1k	Electrical connector box	EL.AK.OB.EL	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	2 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	2 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	2 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	2 pcs	
2d	GAS T-fitting 6/8/6mm SET	MC.TFIT686.SET	1 pcs	
3a	Injector FH02-4cyl body	LW.4.BD	2 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	10 pcs	
3c	Anti-vibration dumper FH02	LW.DW	4 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	8 pcs	
3e	Outlet nozzle 12mm	RD.00-37	2 pcs	
4a	Filter 1-1/12 mm	F1	2 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	6 m	
6b	Copper pipe ø6 mm	MC.MD6	1,5 m	
6c	Water hose ø16 mm	MC.WW16	3 m	
6d	GAS hose ø12 mm	MC.WG12	2,5 m	
6e	GAS hose ø5 mm	MC.WG5	3,2 m	
6f	Vacuum hose ø5 mm	MC.WV5	1,5 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	22 pcs	
6i	Pressure hose clamps AML12	MC.OPAML12	18 pcs	
6j	Vacuum clamps	MC.OP5V	10 pcs	
6k	Copper pipe support	MC.M	10 pcs	

Description:



- the most popular KIT dedicated to 8-cyl engines over 300 HP power.
- two VR-L reducers are a part of this KIT.
- KIT dedicated to the engines up to 400 HP.
- Important: only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT (packed in 2 boxes): 9,80 kg total weight. Size of the box (as in the picture): 38,5x30x15 cm – 2 boxes
- Number of KITS in groupage carton/minimal order: 2 pcs
- Total no of KITS in one pallet 120/80/177 cm: 40 KITS

Catalogue Code: **8L07/12/7/21/1/5F**

Catalogue Name: **KIT VERSUS: V8L0.7/2VRL/4XFH02-2/2XF1/PW/X42F**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V8 8-cyl OBD	EL.V8.OBD	1 pcs	
1b	Harness P8 LPG 8-cyl OBD	EL.P8.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor STD	EL.CTG.B	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector „Ring”	EL.AK.ZL.O	2 pcs	
1k	Electrical connector box	EL.AK.OB.EL	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	2 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	2 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	2 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	2 pcs	
2d	GAS T-fitting 6/8/6mm SET	MC.TFIT686.SET	1 pcs	
3a	Injector FH02-2 cyl body	LW.2.BD	4 pcs	
3b	Inlet manifold nozzle „IM”	LW.DKL	10 pcs	
3c	Anti-vibration dumper FH02	LW.DW	4 pcs	
3d	FH02 calibration nozzle 1,5 mm	LW.DK15	8 pcs	
3e	Outlet nozzle 12mm	RD.00-37	2 pcs	
4a	Filter 1-1/12 mm	F1	2 pcs	
4b	Gas Y-Fitting	F.Y	2 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	8 m	
6b	Copper pipe ø6 mm	MC.MD6	2 m	
6c	Water hose ø16 mm	MC.WW16	6 m	
6d	GAS hose ø12 mm	MC.WG12	6 m	
6e	GAS hose ø5 mm	MC.WG5	9 m	
6f	Vacuum hose ø5 mm	MC.WV5	5 m	
6g	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6h	Metal clamps 12-22	MC.OP12-22	28 pcs	
6i	Pressure hose clamps AML12	MC.OPAML12	18 pcs	
6j	Vacuum clamps	MC.OP5V	10 pcs	
6k	Copper pipe support	MC.M	14 pcs	

Description:

- the most popular KIT dedicated to 8-cyl engines over 300 HP power
- two VR-L reducers are a part of this KIT.
- KIT dedicated to the engines up to 400 HP
- Important: only high flow Multivalve (called often „Extra” 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT (packed in 2 boxes): 11,50 kg total weight. Size of the box (as in the picture): 38,5x30x15 cm – 2 boxes
- Number of KITS in groupage carton/minimal order: 2 pcs
- Total no of KITS in one pallet 120/80/177 cm: 40 KITS

Catalogue Code: **8L06/12/9/24/1/5G**Catalogue Name: **KIT VERSUS: V8L0.6/2VRL/8XFH02-1/2XF4/PW/X81G**

No.	Catalogue Name	Catalog Code	Qty	
1a	ECU V8 8-cyl OBD	EL.V8.OBD	1 pcs	
1b	Harness P8 LPG 8-cyl OBD	EL.P8.LO	1 pcs	
1c	MAP-SENSOR XFP1	EL.MAP.M	1 pcs	
1d	Reducer's Temp. Sensor	EL.CTR	1 pcs	
1e	Gas Temp. Sensor "T"	EL.CTG.T	1 pcs	
1f	Fuse Case	EL.B.OBB	1 pcs	
1g	Fuse 10A	EL.B.10A	1 pcs	
1h	Change-over Switch	EL.SW.OBD	1 pcs	
1i	Female electrical connector	EL.AK.ZL.Z	2 pcs	
1j	Electrical connector „Ring“	EL.AK.ZL.O	2 pcs	
1k	Electrical connector box	EL.AK.OB.EL	2 pcs	
1l	T-Fitting for Vacuum	EL.AK.TRVAC	2 pcs	
2a	Reducer VR-L Standard Bare SET	RD.VL.BDSET	2 pcs	
2b	Reducer's VR-L Standard Inlet SET	RD.VL.INSET	2 pcs	
2c	VR-L STANDARD reducer's fitting set	RD.VL.MC.SET	2 pcs	
2d	GAS T-fitting 6/8/6mm SET	MC.TFIT686.SET	1 pcs	
3a	Injector FH02-1 cyl body	LW.1.BD	8 pcs	
3b	Inlet manifold nozzle „IM“	LW.DKL	8 pcs	
3c	FH02 calibration nozzle 1,5 mm	LW.DK15	8 pcs	
4a	Filter 1-4 12/7mm	F4	2 pcs	
4b	Gas Y-Fitting	F.Y	2 pcs	
5a	VERSUS 1050 sensor KIT	PW	1 pcs	
6a	Copper pipe ø8 mm	MC.MD8	8 m	
6b	Copper pipe ø6 mm	MC.MD6	2 m	
6c	Water hose ø16 mm	MC.WW16	6 m	
6d	GAS hose ø12 mm	MC.WG12	5 m	
6e	GAS hose ø5 mm	MC.WG5	8 m	
6f	GAS hose ø6 mm	MC.WG6	8 m	
6g	Vacuum hose ø5 mm	MC.WV5	5 m	
6h	Water T-fitting 16/16/16	MC.T-WOD.M16	2 pcs	
6i	Metal clamps 12-22	MC.OP12-22	22 pcs	
6j	Metal clamps 8-12	MC.OP8-12	16 pcs	
6k	Pressure hose clamps AML12	MC.OPAML12	18 pcs	
6l	Vacuum clamps	MC.OP5V	10 pcs	
6m	Copper pipe support	MC.M	14 pcs	
6n	Inlet manifold nozzle „IM“	LW.DKL	1 pcs	

Description:

- the most popular KIT dedicated to 8-cyl engines over 300 HP power.
- two VR-L reducers are a part of this KIT.
- KIT dedicated to the engines up to 400 HP.
- Important: only high flow Multivalve (called often „Extra“ 8 mm outlet version) shall be used together with this KIT.
- KIT contains ECU OBD device.

Shipment details:

- Weight of one KIT (packed in 2 boxes): 11,80 kg total weight. Size of the box (as in the picture): 38,5x30x15 cm – 2 boxes
- Number of KITS in groupage carton/minimal order: 2 pcs
- Total no of KITS in one pallet 120/80/177 cm: 40 KITS

We offer full assortment of GAS Parts & Accessories.
Detailed catalogues will be sent upon the request.
For more details – please contact relative persons:

- Orders: sales@versusgas.com
- General inquiry: info@versusgas.com
- Website: www.versusgas.com



FHT VERSUSGAS reserves the right to make any modification/improvements into its products at any time on the basis of its own assessment without prior notice. The pictures, text description, nameplates, technical data that are contained in this catalog are the property of FHT VERSUSGAS. Copying of this property without FHT VERSUSGAS prior written permission is prohibited.

FHT VERSUSGAS

05-300 Mińsk Mazowiecki
Szczecińska 16G Street
POLAND - PL

e-mail: info@versusgas.com

tel.: +48 25-759-42-61

Fax.: +48 25-759-42-51

www.versusgas.com

