

**VERSUSGAS NGV/LPG  
Autogas Parts & Accessories  
CATALOGUE**

**LPG TANKS & MULTIVALVES  
17.03.2013**

**VERSUS**<sup>®</sup>  
**AUTO GAS equipment**

**FHT**





**LPG TANKS & MULTIVALVES- CONTENT:**


A. LPG Tanks: ..... 3


B. Other Components: ..... 9


**ERSUS**



## A. LPG Tanks:


Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK TOROID. (TOR. TANK INSIDE) 565/180-34	ZB 565/180-34	dimensions: a) 565 mm, b) 180 mm, capacity: 34 liters	20,0 kg	 
ZBIORNIK TOROID. (TOR. TANK INSIDE) 580/200-41	ZB 580/200-41	dimensions: a) 580 mm, b) 200 mm, capacity: 41 liters	22,3 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 580/225-46	ZB 580/225-46	dimensions: a) 580 mm, b) 225 mm, capacity: 46 liters	23,4 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/190-41	ZB 600/190-41	dimensions: a) 600 mm, b) 190 mm, capacity: 41 liters	22,5 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/200-44	ZB 600/200-44	dimensions: a) 600 mm, b) 200 mm, capacity: 44 liters	23,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/225-50	ZB 600/225-50	dimensions: a) 600 mm, b) 225 mm, capacity: 50 liters	24,2 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/250-55	ZB 600/250-55	dimensions: a) 600 mm, b) 250 mm, capacity: 55 liters	25,2 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/270-60	ZB 600/270-60	dimensions: a) 600 mm, b) 270 mm, capacity: 60 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/200-48	ZB 630/200-48	dimensions: a) 630 mm, b) 200 mm, capacity: 48 liters	25,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/225-55	ZB 630/225-55	dimensions: a) 630 mm, b) 225 mm, capacity: 55 liters	26,2 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/250-62	ZB 630/250-62	dimensions: a) 630 mm, b) 250 mm, capacity: 62 liters	27,4 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/270-67	ZB 630/270-67	dimensions: a) 630 mm, b) 270 mm, capacity: 67 liters	28,3 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/200-52	ZB 650/200-52	dimensions: a) 650 mm, b) 200 mm, capacity: 52 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/230-59	ZB 650/230-59	dimensions: a) 650 mm, b) 230 mm, capacity: 59 liters	28,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/250-67	ZB 650/250-67	dimensions: a) 650 mm, b) 250 mm, capacity: 67 liters	29,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/270-72	ZB 650/270-72	dimensions: a) 650 mm, b) 270 mm, capacity: 72 liters	31,0 kg	

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/200-58	ZB 680/200-58	dimensions: a) 680 mm, b) 200 mm, capacity: 58 liters	28,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/220-67	ZB 680/220-67	dimensions: a) 680 mm, b) 220 mm, capacity: 67 liters	30,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/250-75	ZB 680/250-75	dimensions: a) 680 mm, b) 250 mm, capacity: 75 liters	32,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/270-82	ZB 680/270-82	dimensions: a) 680 mm, b) 270 mm, capacity: 82 liters	34,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 720/250-80	ZB 720/250-80	dimensions: a) 720 mm, b) 250 mm, capacity: 80 liters	35,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 720/270-87	ZB 720/270-87	dimensions: a) 720 mm, b) 270 mm, capacity: 87 liters	37,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 720/300-98	ZB 720/300-98	dimensions: a) 720 mm, b) 300 mm, capacity: 98 liters	39,0 kg	

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 565/180-34	ZB 565/180-34 Z	dimensions: a) 565 mm, b) 180 mm, capacity: 34 liters	20,0 kg	 
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 580/200-41	ZB 580/200-41 Z	dimensions: a) 580 mm, b) 200 mm, capacity: 41 liters	22,3 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 580/225-46	ZB 580/225-46 Z	dimensions: a) 580 mm, b) 225 mm, capacity: 46 liters	23,4 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/190-41	ZB 600/190-41 Z	dimensions: a) 600 mm, b) 190 mm, capacity: 41 liters	22,5 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/200-44	ZB 600/200-44 Z	dimensions: a) 600 mm, b) 200 mm, capacity: 44 liters	23,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/225-50	ZB 600/225-50 Z	dimensions: a) 600 mm, b) 225 mm, capacity: 50 liters	24,2 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/250-55	ZB 600/250-55 Z	dimensions: a) 600 mm, b) 250 mm, capacity: 55 liters	25,2 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/270-60	ZB 600/270-60 Z	dimensions: a) 600 mm, b) 270 mm, capacity: 60 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/200-48	ZB 630/200-48 Z	dimensions: a) 630 mm, b) 200 mm, capacity: 48 liters	25,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/225-55	ZB 630/225-55 Z	dimensions: a) 630 mm, b) 225 mm, capacity: 55 liters	26,2 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/250-62	ZB 630/250-62 Z	dimensions: a) 630 mm, b) 250 mm, capacity: 62 liters	27,4 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/270-67	ZB 630/270-67 Z	dimensions: a) 630 mm, b) 270 mm, capacity: 67 liters	28,3 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/200-52	ZB 650/200-52 Z	dimensions: a) 650 mm, b) 200 mm, capacity: 52 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/230-59	ZB 650/230-59 Z	dimensions: a) 650 mm, b) 230 mm, capacity: 59 liters	28,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/250-67	ZB 650/250-67 Z	dimensions: a) 650 mm, b) 250 mm, capacity: 67 liters	29,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/270-72	ZB 650/270-72 Z	dimensions: a) 650 mm, b) 270 mm, capacity: 72 liters	31,0 kg	

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK TOROID. (TOR. TANK FULL) 650/200-58	ZB 650/200-58 ZP	dimensions: a) 650 mm, b) 200 mm, capacity: 58 liters	27,0 kg	
ZBIORNIK TOROID. (TOR. TANK FULL) 650/230-64	ZB 650/230-64 ZP	dimensions: a) 650 mm, b) 230 mm, capacity: 64 liters	29,0 kg	
ZBIORNIK TOROID. (TOR. TANK FULL) 650/250-72	ZB 650/250-72 ZP	dimensions: a) 650 mm, b) 250 mm, capacity: 72 liters	31,0 kg	
ZBIORNIK TOROID. (TOR. TANK FULL) 650/270-78	ZB 650/270-78 ZP	dimensions: a) 650 mm, b) 280 mm, capacity: 78 liters	32,0 kg	








Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/35	ZB 315/35	dimensions: a) 315 mm, b) 540 mm, capacity: 35 liters	15,0 kg	  
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/40	ZB 315/40	dimensions: a) 315 mm, b) 592 mm, capacity: 40 liters	16,6 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/45	ZB 315/45	dimensions: a) 315 mm, b) 670 mm, capacity: 45 liters	17,5 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/50	ZB 315/50	dimensions: a) 315 mm, b) 735 mm, capacity: 50 liters	19,8 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/55	ZB 315/55	dimensions: a) 315 mm, b) 800 mm, capacity: 55 liters	21,3 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/60	ZB 315/60	dimensions: a) 315 mm, b) 870 mm, capacity: 60 liters	23,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/65	ZB 315/65	dimensions: a) 315 mm, b) 940 mm, capacity: 65 liters	25,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/70	ZB 315/70	dimensions: a) 315 mm, b) 1000 mm, capacity: 70 liters	26,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/80	ZB 315/80	dimensions: a) 315 mm, b) 1140 mm, capacity: 80 liters	29,2 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/90	ZB 315/90	dimensions: a) 315 mm, b) 1275 mm, capacity: 90 liters	32,3 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/100	ZB 315/100	dimensions: a) 315 mm, b) 1410 mm, capacity: 100 liters	35,5 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/50	ZB 360/50	dimensions: a) 360 mm, b) 589 mm, capacity: 50 liters	19,6 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/60	ZB 360/60	dimensions: a) 360 mm, b) 674 mm, capacity: 60 liters	22,6 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/70	ZB 360/70	dimensions: a) 360 mm, b) 774 mm, capacity: 70 liters	25,3 kg	



Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/80	ZB 360/80	dimensions: a) 360 mm, b) 878 mm, capacity: 80 liters	28,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/90	ZB 360/90	dimensions: a) 360 mm, b) 980 mm, capacity: 90 liters	30,7 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/100	ZB 360/100	dimensions: a) 360 mm, b) 1082 mm, capacity: 100 liters	33,4 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/110	ZB 360/110	dimensions: a) 360 mm, b) 1184 mm, capacity: 110 liters	36,0 kg	



**B. Other Components:**

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
Wielozawór/Multivalve TOR WFP 190-30	MVAT0A08.1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set  14 kg one carton	
Wielozawór/Multivalve TOR WFP 204-30	MVAT0A09.1			
Wielozawór/Multivalve TOR WFP 220/225-30	MVAT0A12.1			
Wielozawór/Multivalve TOR WFP 230/240-30	MVAT0A14.1			
Wielozawór/Multivalve TOR WFP 250-30	MVAT0A16.1			
Wielozawór/Multivalve TOR WFP 270-30	MVAT0A18.1			
Wielozawór/MULTIVALVE TOR EWFP 220/225-30EXTRA BZW	MVAT0A12X1			
Wielozawór/MULTIVALVE TOR EWFP 230/240-30EXTRA BZW	MVAT0A14X1			
Wielozawór/MULTIVALVE TOR EWFP 250-30 EXTRA BZW	MVAT0A16X1			
Wielozawór/MULTIVALVE TOR EWFP 270-30 EXTRA BZW	MVAT0A18X1			
Wielozawór/MULTIVALVE TOR EWFP 300-30 EXTRA BZW	MVAT0A68X1			
Wielozawór/Multivalve TOR WFP 180/190-0	MVAT0E02.1			
Wielozawór/Multivalve TOR WFP 200/204-0	MVAT0E03.1			
Wielozawór/Multivalve TOR WFP 220/225-0	MVAT0E06.1			
Wielozawór/Multivalve TOR WFP 230-0	MVAT0E08.1			
Wielozawór/Multivalve TOR WFP 240/250-0	MVAT0E09.1			
Wielozawór/Multivalve TOR WFP 270-0	MVAT0E11.1			
Wielozawór/MULTIVALVE TOR EWFP 240/250-0 EXTRA BZW	MVAT0E09X1			
Wielozawór/MULTIVALVE TOR EWFP 270-0 EXTRA BZW	MVAT0E11X1			
Wielozawór/Multivalve CYL WFP 244-30	MVAT0A02.1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set  14 kg one carton	
Wielozawór/Multivalve CYL WFP 270-30	MVAT0A03.1			
Wielozawór/Multivalve CYL WFP 300-30	MVAT0A04.1			

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
Wielozawór/Multivalve CYL WFP 315-30	MVAT0A05.1			
Wielozawór/Multivalve CYL WFP 360-30	MVAT0A06.1			
Wielozawór/Multivalve CYL WFP 400-30	MVAT0A07.1			
Wielozawór/MULTIVALVE CYL EWFP 360-30 EXTRA BZW	MVAT0A06X1			
Wielozawór/MULTIVALVE CYL EWFP 360-90 EXTRA BZW	MVAT0A35X1			
Obudowa wielozaworu/GAS-TIGHT HOUSING	CMAT0005	Suggested order: 10 pcs in groupage carton 40/60/26 3,5 kg	0,3 kg per one set	
Zawór tankowania/FILLING VALVE	MVAT3311	1 pcs	0,5 kg per one set	
Zawór tankowania sportowy/SPORT FILLING VALVE	MVAT3302	1 pcs	0,5 kg per one set	
Zawór tank. sport. długi/SPORT FILLING VALVE „LONG”	MVAT3306	1 pcs	0,6 kg per one set	
Przejście ACME – Polska/Niemcy, Belgia – M10 / FILLING POINT ADAPTER ACME – M10 Poland/Germany, Belgium	FHT222/10	1 pcs	0,3 kg	
Przejście – BAJONETT – Polska, Włochy/Holandia – M10 / FILLING POINT ADAPTER BAYONET – M10 Poland, Italy / Dutch	FHT224/10	1 pcs	0,2 kg	

KPL. redukcji 6/8 /MV REDUCTION 6/8 mm	FHT231A		0,1 kg per one set	
KPL. red. katowej /MV L-SHAPE REDUCTION 6/8 mm	FHT331A		0,2 kg per one set	

We offer full assortment of GAS Parts & Accessories.  
Detailed catalogues will be sent upon the request.  
For more details – please contact relative persons:

- Orders: [sales@versusgas.com](mailto:sales@versusgas.com)
- General inquiry: [info@versusgas.com](mailto:info@versusgas.com)
- Website: [www.versusgas.com](http://www.versusgas.com)



FHT VERSUSGAS reserves the right to make any modification/improvements into its products at any time on the basis of its own assessment without prior notice. The pictures, text description, nameplates, technical data that are contained in this catalog are the property of FHT VERSUSGAS. Copying of this property without FHT VERSUSGAS prior written permission is prohibited.

**FHT VERSUSGAS**

05-300 Mińsk Mazowiecki  
Szczecińska 16G Street  
POLAND - PL

**e-mail:** [info@versusgas.com](mailto:info@versusgas.com)

**tel.:** +48 25-759-42-61

**Fax.:** +48 25-759-42-51

[www.versusgas.com](http://www.versusgas.com)